```
=> d his

     (FILE 'HOME' ENTERED AT 18:27:58 ON 17 NOV 2008)

     FILE 'REGISTRY' ENTERED AT 18:28:12 ON 17 NOV 2008
L1               STRUCTURE UPLOADED
L2          0 S L1 SSS
L3          0 S L1 SSS FULL
L4               STRUCTURE UPLOADED
L5          0 S L4 SSS
L6          0 S L4 SSS FULL
L7               STRUCTURE UPLOADED
L8          0 S L7 SSS
L9         10 S L7 SSS FULL
L10              STRUCTURE UPLOADED
L11         0 S L10 SSS
L12         8 S L10 SSS FULL
L13        17 S L9 OR L12


     FILE 'CAPLUS' ENTERED AT 18:33:59 ON 17 NOV 2008
L14         5 S L13

=> d l1
L1 HAS NO ANSWERS
L1               STR
```



```
Structure attributes must be viewed using STN Express query preparation.


=> d l4
L4 HAS NO ANSWERS
L4               STR
```

G1 CH2,S,Se
G2 S,Se

Structure attributes must be viewed using STN Express query preparation.

=> d l7
L7 HAS NO ANSWERS
L7   STR

G1 CH2,S,Se
G2 S,Se

Structure attributes must be viewed using STN Express query preparation.

=> d l10
L10 HAS NO ANSWERS
L10   STR

G1 CH2,S,Se
G2 S,Se

Structure attributes must be viewed using STN Express query preparation.

=>